

Trauma and Grief in Teens:

Each person copes with traumatic events in unique ways. Some teens may develop traumatic grief responses and have difficulty coping. Here are ways to recognize and help your teen with traumatic grief. Being nonjudgmental, open to compromise and considering your teen's point of view are important.

I WANT YOU TO KNOW THAT:	YOU CAN HELP ME WHEN YOU:
1. I may feel sad, scared, empty, or numb but be embarrassed to show my true feelings. Yet, I may say too much on social media.	1. Talk about your own feelings and invite me to talk about mine once I'm ready. Discuss sharing things on social media. Offer to find me a counselor if it seems easier for me to talk to someone outside the family.
2. I might have behavior problems that are new or worse than before the trauma (angry outbursts, irritability, rule breaking, revenge seeking). I may be doing serious, unsafe, or harmful behaviors (self-injury, risky sexual behavior, drug or alcohol use).	2. Have patience and try to remain calm while setting appropriate limits on behaviors. Encourage me to get back to routines and activities with friends. For serious, risky, or harmful behaviors, get professional help.
3. I have trouble concentrating and paying attention or have a change in sleep patterns, such as staying up later or sleeping in all day.	3. Realize that I may be having scary thoughts about the trauma and not tell you. Talk with me about ways to cope with these, like getting back to enjoyable activities or listening to calming music. Taking a technology break at night will help me to sleep better.
4. Have physical reactions like jumpiness, stomach aches, headaches, a pounding heart, or body aches. These may be worse after being around people, places, sounds, situations, or other things that remind him of the trauma or the person who died	4. Recognize that I may minimize these physical reactions—or do the opposite—exaggerate a minor ailment or injury. Encourage me to use physical activities to release tension or try relaxing things, like deep breathing or gentle stretching.
5. I may think that life is meaningless, feel guilty for being okay, or withdraw from family and friends—yet retreat to social media or gaming.	5. Discuss solutions for feeling sad and mention that, while social media can be helpful, I may feel better seeing friends in person. Check with other adults I may confide in to discuss ways to support me. If I seem very sad or guilty, seek professional help.
6. Sometimes I wonder if something bad will happen to me or that other important people in my life. I may express this by appearing anxious or worried or seeming not to care about the future (not studying, skipping school), or risk-taking behavior.	6. Help me develop a realistic picture of the dangers in life. Talk about ways for me to take control of my safety and future (e.g., driving carefully, eating well and exercising, asking others for help).
7. I may talk about feeling responsible for the deaths or that I should have done something differently to help.	7. Give honest, accurate, and age-appropriate information. Teens get information from all kinds of media, so let me know you will always tell me the truth. If I feel responsible, reassure me to not worry; that I did the best I could at the time.
8. Sometimes I might not want to talk. I may try to change or reject the topic ("leave me alone") or shrug it off. I may hide my discomfort and act as if nothing bothers me or as if I'm doing fine.	8. Realize that I may think that talking about the trauma will upset you. Even if you feel rejected, do stay involved with me and know where I am and what I'm doing. I need your presence more than ever.
9. I might refuse to go places or do things that remind me of the event.	9. Understand that I may be overwhelmed by upsetting feelings but want to look strong or act as if nothing is wrong. This may be a sign of traumatic grief, and a professional can help.

Trauma and Grief in School-Age Children:

Each person copes with traumatic events in unique ways. Some children may develop traumatic grief responses and have difficulty coping. Here are ways to recognize and help your child with traumatic grief.

I WANT YOU TO KNOW THAT:	YOU CAN HELP ME WHEN YOU:
1. My feelings about the event are confusing. Sometimes I feel okay, and other times I feel sad, scared, or just empty or numb. It's really hard to make the scary and sad feelings go away.	1. Talk about your feelings and encourage me to talk about mine as long as I feel comfortable.
2. Sometimes my upset feelings come out as bad behavior.	2. Help me do things to feel calm, get back to my routine, and have fun again. Are patient until I feel O.K.
3. I have trouble concentrating, paying attention, and sleeping sometimes, because what happened is on my mind.	3. Understand that thoughts about what happened get stuck in my mind. Help me relax at bedtime by reading stories or listening to music and reminding me that you keep me safe.
4. I might have physical reactions like stomach aches, headaches, feeling my heart pounding, and breathing too fast.	4. Help me do things that make me feel calm, take my mind off things, or slow down my breathing.
5. Sometimes I wonder if it was my fault.	5. Reassure me that it was not my fault.
6. I sometimes think the same thing will happen to me or other people I love.	6. Remind me about the things we do to stay safe and take care of ourselves. Help me remember all the people who take care of me.
7. I keep thinking about what happened over and over in my head.	7. Listen to what is on my mind. Tell me honestly what happened, using words I can understand. Do not let me see it on TV or other media if the story is in the news.
8. Sometimes I don't like to think or talk about what happened, because it's too hard. I may not tell you everything because I don't want to upset you.	8. Don't make me talk about what happened. Don't get mad if I don't want to talk it.
9. I don't like to go to some places or do some things that remind me of the event, because I get upset.	9. Don't make me go places if it still makes me too upset or scared.
10. Sometimes I might replay what happened (making my cars crash, replaying the event in my play)	

Imminent Crisis: Suicide attempts or violence Call 9-1-1

Suicidal thoughts or planning Hospital Emergency Room

IMPACT 2-1-1 is a central access point for people in need. During times of personal crisis or community disaster, the free, confidential helpline and online resource directory make it easy for residents to get connected to information and assistance. Available 24 hours / every day

- **Dial 2-1-1.** (In Milwaukee, Waukesha, Kenosha, Racine, Ozaukee, Washington, Dodge, Jefferson and Walworth counties)
- <https://www.impactinc.org/impact-211/> for resources and live chat on your device
- Text your zip code to TXT-211 to speak via text

Waukesha County Crisis Intervention (262)548-7666 M-F 8:00-4:30 pm

- Mobile assessment
- Suicide assessment
- Other risk assessment
- Safety planning
- Crisis de-escalation
- Phone support
- Information & referrals
- Community education
- Crisis planning
- Screening for involuntary court intervention

Apps for IOS or Android



To promote regulation and reduce anxiety through music, affirmations, and meditation



Center for Mental Health and Addiction



Sets up a safety plan and support network

Audio or downloadable book for young children: Once I Was Very, Very, Scared <https://piploproductions.com/stories/once/>